




12/2018

# Mod: CAB61/H1-R2

Production code: AEGEX2500-DM



**Diamond**  
catering equipment

Modello - Model - Model - Gerätetyp		CAB61/L1
Code Production		AEGEX2500-DM
		
		
<b>Descrizione</b> - Description - Description - Beschreibung		<b>700 GE</b>
<b>Tipo di teglie</b> - Trays type - Type de plateaux - Blechetyp - Tipo de fuentes		530x720
<b>Range</b>		<b>-25°C -10°C</b>
<b>Scheda Elettronica</b> - Electronic card		EVCO EVX214
<b>Funzionamento</b> - Operating Mode - Mode de fonctionnement - Betriebsmodus		Ventilated
<b>Capacità lorda</b> - Gross Capacity - Capacité brute - Bruttovolumen		750
<b>Dimensioni esterne</b> - External Dimension - Dimensions externes - außenabmessungen		
Lunghezza - Width - Largeur - Breite		770
Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tür		890/1593,5
Altezza - Height - Hauteur - Höhe		2025
<b>Dimensioni interne</b> - Internal Dimension - Dimensions internes - Innenabmessungen		
Lunghezza - Width - Largeur - Breite		600
Profondità - Depth - Profondeur - Tiefe		752,5
Altezza - Height - Hauteur - Höhe		1440
<b>Porte</b> - Doors - Portes - Türen		1, Full
<b>Dotazione Standard</b> - Standard Equipment - Equipement standard - Standardausstattung		5 vassoi - 5 trays - 5 plateaux - 5 shalen
<b>Capacità vassoi</b> - Trays capacity - Capacité plateaux - Shalenkapazität		9 max
<b>Capacità vaschette</b> - Containers capacity - Capacité bacs - Behälterkapazität		54
<b>Serratura</b> - Lock - Serrure - Schloss		●
<b>Sbrinamento</b> - Defrost - Dégivrages - Abtauen		
Type		Hot Gas
N° Defrost in 24 hrs.		Automatic
Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung		Automatic by Hot Gas
<b>Compressor</b> 		
Model		NT2170U
Potenza - Power - Puissance - Leistung		1 HP
T° Evaporation		-30 °C
Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung		650 watt
<b>Refrigerante</b> - Refrigerant type - Réfrigérant type - Kältemitteltyp		R290 / 3
<b>Quantità di refrigerante</b> - Refrigerant quantity - Quantité de réfrigérant - Kältemittelmenge		130 gr
<b>Potenza assorbita</b> - Total Power - Puissance - Leistung		700W 3,5A / 940W 4,7A
<b>Tensione alimentazione</b> - Supply Voltage - Tension d'alimentation - Anschlussspannung		230V~ 50Hz
220V/60Hz Voltage		
<b>Noise Level</b>		58 dbA
<b>Peso Netto</b> - Net weight - Poids net - Netto Gewicht		140 kg
<b>Versione Predisposta</b> - Remote version - Version sans groupe - Modelle ohne Aggregat Sbrinamento elettrico - Electrical defrosting - Dégivrage électrique - Elektrische Abtaung		□
<b>Efficienza Energetica</b> - Energy Efficiency - Classe Énergie - Energieeffizienzklasse		D
<b>Energia</b> - Energy - Énergie - Energie		2937 kWh / annum
<b>Volume Netto</b> - Net Volume - Volume Net - Nettoinhalt		519 l
<b>Classe Climatica</b> - Climate Class - Classe Climatique - Klima Klasse		5 40°C-40%

●= Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung □=Optional

