

06/2022

# **Mod: SL80-NP**

**Production code: 9998PELD80HP-DDXXB**

## PRODUCT FICHE

**Professional dryer**  
**738791**  
**PEL D80 HP**

**USP :**

**Basic information :**

Product name / Family	Professional dryer
Commercial code	PEL D80 HP
Internal article number	738791
EAN code	3838782519420
Construction / Installation type	Free-standing
Removable top	N/A
Cover door / double door	N/A
Door	Plastic door
Loading type	Front loading
Door hinge	Right reversible
Color / Material panel	BK065; Grey metallic / Plastics
Color / Material body	VZ065; Brushed stainless steel / Galvanized and painted steel
Heater type	Electric
Connection Rating	1000 W W
Current	10 A A
Voltage	220-240 V V
Frequency	50 Hz
Marks of conformity	CE,SIQ1
Length of electrical supply cord	210 cm
Plug type	Euro/schuko
Net weight	57,4 Kg
Gross weight	62,0 Kg
Adjustable feet	Yes
Maximum adaptability of feet	15 mm
Main colour of product	Metallic
Type of control	Electronic
Adjustable feet	Yes - all
Product group	Professional dryer
Installation type	Free-standing
Width of the product	595 mm
Height of the product	850 mm
Depth of the product	769 mm
Width of the packed product	640 mm
Height of the packed product	920 mm
Depth of the packed product	838 mm

**Features :**

Moisture monitoring system	Yes
Drying time selector	Yes
Adjustable drying temperature	Yes
Reverse tumble action	Yes
Interior light	No
Location of venting exit	N/A
Vent hose	No
Progressindicator	Screen
Digital countdown indicator	Yes
Start delay options	Continuous
Blocked filter indicator	No
Full tank indicator	Yes
Exhaust water pipe	N/A
Quick dry	No
Wool program	No
Delicates cycle	N/A
Anti-crease function	Yes
End of cycle indicator	Yes
Drum volume	145 l
Drum material	Stainless steel

Automatic programmes	Yes
Short description of the product	TD85.C382 - PEL D80 HP - PROFESSIONAL
Software update	Yes
Stop delay or a start delay option	N/A

### Energy label information / Performance :

Energy efficiency class	N/A
Capacity cotton	8,0 Kg
Dryer type	N/A
Noise level	65 dB(A) re 1 Pw
Total annual energy consumption	N/A
Drying process	N/A
Duration of the left-on mode - NEW (2010/30/EC)	5,00 min
Condensation efficiency class - NEW (2010/30/EC)	N/A
Energy consumption electric dryer, full load - NEW (2010/30/EC)	N/A
Energy consumption electric dryer, partial load - NEW (2010/30/EC)	N/A
Energy consumption gas dryer, electric component, full load - NEW (2010/30/EC)	N/A
Energy consumption gas dryer, electric component, partial load - NEW (2010/30/EC)	N/A
Energy consumption gas dryer, full load - NEW (2010/30/EC)	N/A
Energy consumption gas dryer, partial load - NEW (2010/30/EC)	N/A
Power consumption in left-on mode - NEW (2010/30/EC)	0,50 W
Power consumption in off-mode - NEW (2010/30/EC)	0,50 W
Standard cotton programme time at full load	N/A
Standard cotton programme time at partial load	N/A
Weighted condensation efficiency	N/A
Weighted annual energy consumption, electric dryer - NEW (2010/30/EC)	N/A
Weighted annual energy consumption, gas dryer, electric component - NEW (2010/30/EC)	N/A
Weighted annual energy consumption, gas dryer - NEW (2010/30/EC)	N/A
Weighted programme time	N/A
This product contains fluorinated greenhouse gases	Yes
Hermetically sealed	Yes
Global warming potential	1430 GWP
Type of refrigerant	R450A
Gas quantity measured in kg	0,51 kg
The quantity expressed in CO2 equivalent	0,309 t